
Page: 1



Printed: 01/23/2009 Revision: / /

Date Created: 10/14/2008

1. Product and Company Identification

Product Code: 710-115020

Product Name: BICK 1 - Prop 65 Free Leather Cleaner

Reference #: LAB 670

Manufacturer Information

Company Name: Bickmore / Excelda Manufacturing, Inc.

10750 Hi Tech Drive

Whitmore Lake, MI 48189

Phone Number: (734)449-8500 **Fax Number:** (734)449-8545

Emergency Contact: Chemtrec (800)424-9300

2. Composition/Information on Ingredients

No hazardous ingredients.

3. Hazards Identification

Emergency Overview

Contains surfactants. Irritating to eyes. Keep out of reach of children.

Route(s) of Entry: Inhalation? No Skin? Yes Eyes? Yes Ingestion? Yes

Potential Health Effects (Acute and Chronic)

EYES: Can cause eye irritation. Direct eye contact may cause temporary discomfort.

SKIN: Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).

INGESTION: If more than several mouthfuls are swallowed, abdominal discomfort, nausea, and diarrhea may

occur.

Signs and Symptoms Of Exposure

EYES: Direct contact may cause temporary discomfort.

SKIN: May be irritating to skin upon prolonged or repeated contact.

INGESTION: Irritation of the gastrointestinal tract and possible vomiting and diarrhea.

Medical Conditions Generally Aggravated By Exposure

None known.

OSHA Hazard Classes:

HEALTH HAZARDS: Irritant

PHYSICAL HAZARDS: No Physical Hazards

TARGET ORGANS & EFFECTS: Eyes, Skin, Respiratory System

4. First Aid Measures

Emergency and First Aid Procedures

EYES: Check for and remove any contact lenses. Immediately flush eyes with large amounts of water for 15 minutes or until irritation subsides. Get medical attention.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

Page: 2
Printed: 01/23/2009
Revision: / /

INGESTION: If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

5. Fire Fighting Measures

Flash Pt: > 200.00 F (93.3 C) Method Used: Pensky-Marten Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Fire Fighting Instructions

Material will not burn.

Flammable Properties and Hazards

No unusual fire hazards expected.

Hazardous Combustion Products

Oxides of carbon, primarily carbon monoxide and carbon dioxide.

Extinguishing Media

Dry Chemical, CO2, Alcohol Resistant Foam.

Unsuitable Extinguishing Media

No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled

Ventilate area. Avoid breathing vapor. Contain spill if possible. Wipe up or absorb on suitable material and shovel up. Keep out of sewers and drains. Avoid contact with skin, eyes, and clothing.

7. Handling and Storage

Precautions To Be Taken in Handling

Avoid contact with eyes. Keep out of reach of children.

8. Exposure Controls/Personal Protection

Respiratory Equipment (Specify Type)

Not required under normal consumer use.

Eye Protection

Safety glasses to avoid eye contact.

Protective Gloves

Not required under normal consumer use.

Other Protective Clothing

None should be needed.

Engineering Controls (Ventilation etc.)

No special ventilation requirements.

Work/Hygienic/Maintenance Practices

Wash hands after use. Use good personal hygiene at all times.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Melting Point:No data.Boiling Point:No data.Autoignition Pt:No data.

Flash Pt: > 200.00 F (93.3 C) Method Used: Pensky-Marten Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): 0.99 - 1.02 at 20.0 C (68.0 F)

Vapor Pressure (vs. Air or mm Hg): No data.

Licensed to Excelda Manufacturing, Inc.

Page: 3
Printed: 01/23/2009
Revision: / /

Vapor Density (vs. Air = 1): No data. Evaporation Rate (vs Butyl No data.

Acetate=1):

Solubility in Water: No data.

Percent Volatile: > 90.0 % by weight. VOC / Volume: < 5.0000 WT%

Viscosity: 2000 - 6000 CPS at 20.0 C (68.0 F)

Corrosion Rate: No data.
pH: 10.0 - 12.0

Appearance and Odor

Thick, translucent white liquid

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability

None known.

Incompatibility - Materials To Avoid

Strong oxidizers.

Hazardous Decomposition Or Byproducts

Oxides of carbon.

Hazardous Polymerization: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Polymerization

Product will not undergo polymerization.

11. Toxicological Information

No data available.

Carcinogenicity/Other Information

No known carcinogens present.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method

All notification, clean up and disposal should be carried out in accordance with federal, state and local regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name Not Regulated.

Additional Transport Information

The information contained in Section 14 pertains to the material when shipped in non-bulk containers. If the material is shipped in bulk containers (greater than 119 gallons) other regulations may apply.

15. Regulatory Information

EPA Hazard Categories:

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

[X] Yes [] No Acute (immediate) Health Hazard [] Yes [X] No Chronic (delayed) Health Hazard

Page: 4
Printed: 01/23/2009
Revision: / /

[] Yes [X] N	o Fire Hazard
[] Yes [X] N	o Sudden Release of Pressure Hazard
[] Yes [X] N	o Reactive Hazard
Descriptory Information	

Regulatory Information

Prop 65: No chemicals which currently appear on California's Proposition 65 carcinogen or reproductive hazard lists are known to be present in this product.

SARA Title III, Section 313: No chemicals are present in this product subject to the reporting requirements of Section 313.

Regulatory Information Statement

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes all risk in use of the material.

16. Other Information

THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED, EXCEPT THAT IS ACCURATE TO THE BEST KNOWLEDGE OF INTEREX. THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN. INTEREX ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON THIS DATA.