



Measuring for the EWH

Watch a video: bld.pet/measuring



Tips & Hints

- Measure the dog according to the diagrams, photos and directions provided.
- **Take each measurement 2 or 3 times for accuracy.** Each time may give you different results; this is normal -- don't panic. Just average the numbers. There's plenty of adjustability in the harness.
- **Measuring tools:** A cloth/tailor's measuring tape is ideal because it is flexible. If you don't have one, use a string for measuring around your dog's body and then measure the string against a measuring tape or yard stick. Use a flat ruler for the width.
- If your dog is nervous with a measuring tape, try using a leash around their body, then measure the leash separately.
- **You may want a friend to help you.**
No helper? **Smear something tasty on a paper plate and tape it to the wall at the dog's eye level to keep him occupied while you measure him.**



How to measure your dog:


- **First, get out the very best treats** you have, perhaps cheese, ham, or peanut butter! This is a great opportunity to have a helper bait your dog with a fistful of soft treats to keep your dog focused on trying to lick the food.
- **Have the dog stand square and balanced when taking all measurements.** (No sitting or lying down.) Keep the measuring tape snug.
- **Start by finding your dog's withers**, marked in yellow on the photos.. The withers are the top of the shoulder blades (indicated with a grey oval). The bones can be felt over the dog's legs and shoulders, just below the dog's neck.

1) Please provide Dog's name, breed, sex, age, and weight. This information helps us confirm the best sizing for your dog's harness.

2) Height: while dog is standing, measure your dog's height. Height is measured from the withers (top of shoulder blades) to the ground. **BLUE LINE on diagram.** You might place a book across your dog's shoulders and measure from under the book straight down to the ground.

3) Girth: while dog is standing, measure behind the front legs, around the deepest part of the dog's ribs. **GREEN LINE on diagram.**

4) Neck Size: Simply measure your dog's neck around the center of his neck, just like you would measure for a collar. This helps us put the other measurements in perspective.



Everyday Working Harness

by Bold Lead Designs, LLC

Call 303-856-3012

Email: orders@boldleaddesigns.com

Website: boldleaddesigns.com - [shop EWH](#)



My Harness Worksheet

Questions to ask BLD:

Dog's Measurement worksheet:

Dog's Name _____

Breed _____

Weight _____ Sex ____ Age ____

Height _____

Girth _____

Neck size _____

Leather color:

☐ Black ☐ Tan ☐ Chrome/SS ☐ Brass

Hardware:

Size: select one

☐ Medium ☐ M 25-28" ☐ M 28-32"

☐ Large ☐ L 30-34" ☐ L 32-36"

☐ XL ☐ XL 34-38"

☐ XXL ☐ XXL 36-40" ☐ XXL 42-47"

Top Options: select one per row

☐ Regular (oval) ☐ Skirt (with Velcro)

☐ Plain (O-ring only) ☐ Add D-rings ☐ Handle (3")

☐ QR (standard) ☐ Magnetic ☐ HD (reg. buckle)

Lining Options:

☐ None (standard natural leather) *Recommended!*

☐ Smooth Lining (light padding + garment leather)

☐ Shearling lining (sheepskin)

Clip-on Bridge Handle: (if desired)

☐ 6" ☐ 8" ☐ 10" ☐ 12"

Notes: