

BLD Wheelchair Leashes

adaptive designs for people with disabilities

- The only dog leashes specifically designed for wheelchair users
- Hands-free leashes that attach to the wheelchair
- Tangle-free designs prevent snags and hang-ups
- Options available for people with limited strength, low dexterity, quadriplegia, etc.
- Available in premium leather or Brahma soft-grip material all with high quality, durable hardware
- Satisfaction guarantee and a LIFETIME WARRANTY
- Choose one of our wheelchair leash designs, or we can custom design a leash to your specifications



Do you struggle to keep your dog from getting tangled in your wheelchair? Do you have a hard time operating buckles and snaps? Is holding the leash difficult, or not even an option? BLD's Wheelchair Leashes and specially designed attachments might be the answer you have been looking for. These leashes make it easier for wheelchair users to manage their dog's leash.

We know how difficult it is to find equipment that actually works. We're glad you found us.



Table of contents:

Info about Materials	p. 2
Safety Considerations	p. 2
Measuring Instructions.....	p. 3
Warranty Information.....	p. 4
Quick-Release Wheelchair Leash.....	p. 5-8
Wheelchair Hook Attachment	p. 9-10
Fastener-Free Collars	p. 11-12
Wheelchair Leashes for Hook	p. 13-17
Full-Custom Design	p. 18-23

To Order: You may order online at your convenience or for personal service call or email the workshop. 303-856-3012 • orders@boldleaddesigns.com

See them in action: Video demonstrations of these products can be found on [our website](#) and on our [YouTube channel](#).

(R5 8/2020 KB)

BLD's Materials:

We use only the highest quality hardware—most of our hardware is stainless steel or solid brass for durability and longevity. Stainless steel bolt snaps are standard on all of our wheelchair leashes. Other leash snaps are available by special request, please see page 22.

Premium Leather:

Our leathers are incredibly durable, yet flexible. They feel great in your hands and if well-conditioned and maintained they simply get better and more supple with age. Leather will be assembled using braids in most cases, as braids are the strongest, most reliable method.

Our **Golden TAN BRIDLE** Leather is 100% American vegetable tanned leather, hand-oiled to bring out the golden tones and softness. The color will darken to a chestnut brown with use and age.

Our lovely **BLACK LATIGO** is solid black, and superior to ordinary leashes in texture and quality, cut from select USA hides. Our black leather is thick and sturdy for a super strong leash.

Brahma Soft-Grip—a vegan leather alternative:

Brahma Soft-Grip is constructed with webbing on the inside and a durable, non-tacky PVC coating on the outside. Easy to care for: just wipe clean with soap and water. Brahma is always assembled with screw posts for durability. This material is heavier than leather (in a comparable width), and does not soften over time the way leather does. **Black is the most popular color for wheelchair leashes, but assorted bright and classic colors are also available.** Just ask for available color choices!

Leash width:

Regular half-inch wide (12.7 mm) is recommended for most dogs and people as it's sturdy for any size dog, yet not too heavy. If you like a wider, heavier leash and larger hardware, select the wider option.

Safety Considerations:

These products are intended for use with fully trained service dogs/assistance dogs/pet dogs that have excellent leash manners. We've designed all of our Wheelchair Leash options to manually detach from the wheelchair in the event of an emergency situation. Why? Because it's simply a smart idea!

Only you can determine if letting go of the leash and attaching it to your wheelchair is the right choice for you and your dog.

Attached leashes (fastened to a person, wheelchair, or other mobility device) are not safe for all dogs and/or users of wheelchair/mobility devices. Please choose your equipment wisely and use responsibly.

Do not use wheelchair leashes with an untrained dog. Not for dogs that pull on the leash. Wheelchair leashes must NOT be used with dogs that lunge or are difficult to control, as this could be very dangerous. Additionally, **DO NOT USE FOR PULLING A WHEELCHAIR.**

Please note: If your strength or dexterity is limited, you may need assistance from a friend to install the wheelchair attachment and make the initial adjustment to the leash. Once attached and adjusted, the leash will remain at the desired length and is easy to connect to and remove from the wheelchair.

Adjustable! All wheelchair leashes are adjustable. We use a special adjustment called a Conway buckle to provide several inches of adjustment at the “dog end” of the leash. This provides approximately five to ten inches of length adjustment, depending on the leash style.



How to find the leash length:

To determine the length for your leash it's always best to measure real-life scenarios with your wheelchair and dog. These measuring instructions will guide you, and you can find measuring videos on our website. You may need a friend to assist for accurate measurements.

Wheelchair Leash Measuring Instructions: for use with the Hook Attachment

- 1) Determine where you want the leash to attach to the wheelchair. Choose a location that is within reach of the user and that is structurally sound so not to damage any part of the mobility device.
- 2) Attach an ordinary old leash on the dog's collar or harness.
- 3) Hold the leash or loosely wrap the leash around the determined point on the wheelchair so you can accurately see how the leash will work in each position.
- 4) Now, have the dog perform some ordinary tasks. Be sure the leash is short enough to prevent the lead from becoming trapped in the wheel and/or motor, yet long just enough for the dog to comfortably maneuver and perform the tasks.
 - A. First, ask for tasks that keep the dog close to the wheelchair. Examples: lie down, sit and walk next to the wheelchair. Remember the leash will have several inches of length adjustment.
 - B. If you are ordering a leash with 2 positions: have the dog perform tasks that require slightly longer leash. IE: getting in front of or behind the chair to go through a doorway; laying down under a table; retrieving a dropped object that is relatively close.
 - C. If you are ordering a leash with 3 positions: have the dog to tasks on a longer leash. IE: open a door; retrieve an object a bit further away; relieve, take a break, etc.

NOTE: Single position leashes are usually 18-30 inches. Most multi-position leashes will be 4 – 5 feet long overall. Longer leashes risk getting tangled, hung up on objects, or caught in the wheels.

- 5) For each task position, measure the old leash from the attachment point on the wheelchair to the dog's collar (or harness).
- 6) Repeat each task and measure a few times to yield the most accurate results.

Our Satisfaction Guarantee

We guarantee you will love our products. If you don't, let us know and we'll do our best to make you happy. **Our satisfaction guarantee means we will offer a replacement or refund the purchase price within 30 days of purchase on like-new items** (refunds are not available on custom orders, customization/modification charges, harnesses or shipping costs).

If we mistakenly sent an **incorrect or defective** item, we'll replace it at no charge and will cover the return shipping. **Please contact us immediately** to let us know if you have an issue and we'll find the easiest way to get you taken care of.

BLD's Lifetime Warranty

We stand behind the quality of our products. Bold Lead Designs' handcrafted leather & Brahma products are guaranteed against defects in materials and craftsmanship, for life!

This warranty assures product repair or replacement in the event of a defect in the materials or craftsmanship and is not transferable. If your leather lead, Brahma lead, training equipment, or harness breaks or is damaged from regular use due to a materials or craftsmanship flaw, **simply contact Bold Lead Designs for a replacement or repair at no charge.** There is no time limit. Customer is responsible for shipping charges.

If you ever have issues or questions about your equipment, contact us at the workshop so we can help find a solution! Non-warranty repairs and service may be available for a nominal repair charge. Replacement parts may be available for purchase.

Warranty is limited to replacement or repair of covered product only, and does not cover things outside of our control such as chewing, neglect, misuse, normal wear, external trauma, or customer alterations. Bold Lead Designs reserves the right to determine if a repair or replacement is covered by our warranty. Items we don't make in our workshop, like accessories and consumable items, are excluded. Note: bldBASICS, any item sold as used or imperfect or marked with a star is excluded from this warranty or guarantee.

Limitation of Damages:

Guarantee/Warranty is limited to replacement or repair of product only. Bold Lead Designs, LLC, or its associates, cannot be responsible for any claims or liabilities beyond the scope of the guarantee. Chewing, neglect and misuse, customer alterations, and items marked with a star void all warranties. No other warranties, expressed or implied, are made. User assumes all responsibility for proper and safe use of product and care of the animal. Customer pays the shipping costs for warranty claims.

See our website for details. boldleaddesigns.com/company-info/our-guarantee/

Quick-Release Wheelchair Leashes:



Complete system ranges from \$45-75 depending on options selected.

A short, single-length leash that can quickly be attached or detached from the wheelchair.

This leash clicks on and off of your wheelchair with an easy to use quick-release buckle or special shackle snap. Add the optional handle, and it can be used as an ordinary leash. A belt loop is also available for those that wish to attach the leash to their belt. The system is modular so you can select the best options for your needs.

The QR Wheelchair Leash SYSTEM includes these modular parts include:

- 1) Detachable Leash
- 2) Chair Attachment
- 3) Optional separate Handle (\$) and/or Belt Loop (\$)



Continued. . .

Quick-Release Wheelchair Leash System (cont.)

Part 1) Detachable Leash:

\$45 leather, \$40 Brahma

One end of the Detachable Leash has a regular leash snap to attach to the dog's collar or harness. The other end is made to connect to the chair attachment you choose. **Price includes the standard wheelchair attachment.**

The leash can be made in your choice of material, color, width, and length. The secret to a safe Wheelchair Leash is selecting the right length! Please measure for the length you'll need. The listed leash length is the overall size of the leash when attached to the wheelchair, which includes the chair attachment. It is adjustable by several inches and can be fine-tuned once attached to the wheelchair and the dog. (Initial adjustment may require a helper.)



Detachable Leash Length:


- ☐ **Short** 20-25" (51-64 cm)
- ☐ **Regular** 24"-30" (61-76 cm)
- ☐ **Long** 30-36" (76-91 cm)
- ☐ **Extra Long** 36-40" (76-102 cm)
(add \$5)

Part 2) Chair Attachment:

Standard attachment included in leash price.

The **CHAIR ATTACHMENT** mounts to the wheelchair. Easy to install on any part of the chair's frame, tubing or armrest with a sturdy Velcro wrap. Chair attachments include a swivel to prevent tangling and can be made in either of the two styles explained below.

Chrome/silver hardware is standard.



Standard Quick-Release Attachment. Our standard chair attachment features a metal side-release buckle – just pinch the sides of the buckle to release. The male end of the buckle is on the chair attachment. (Brass/gold buckle is available by special request) (*Note: swivel is silver*)

Shackle Snap Attachment, add \$15 is a sturdy and secure panic snap that releases instantly by pulling the tab, even under load. The stainless steel shackle is on the chair attachment. The leash will be made with an O-ring to clip into the shackle. Shackle option requires more dexterity to attach the

leash than the standard option, however, it releases in an instant by a hard tug on the release tab. Some clients choose this option if an assistant helps with leashing up the



dog.

See videos and order it online here:

boldleaddesigns.com/shop/wheelchair-lead-with-quick-release/

Part 3) Optional Separate Handle and/or Belt Loop:

Select optional accessories if desired.




12" Traffic Lead Handle (\$18 in Brahma, \$25 in leather)

To use as an ordinary leash when detached from the wheelchair, simply add a **12" Traffic Lead Handle**. The handle is a simple loop with a leash snap that clips onto the ring included at the end of the detachable leash. Handle will be made to match the color and width of the leash.

Belt Loop Attachment (\$16-30)

If you wish to be able to wear the leash hands-free while standing or walking, the **Belt Loop** allows you to connect the leash to your belt.



QR style:
Belt Loop, \$16
Chair att., \$18

Belt Loop



Wheelchair Mount

Shackle Snap style:
Belt Loop, \$28
Chair att, \$33

Belt Loop



Wheelchair Mount

Quick-Release Wheelchair Leash

Order Form

(R5 8/2020 KB)

To Order:

You may call the workshop to order by phone,
or order online at
boldleaddesigns.com/shop/quick-release-wheelchair-leash/

Measuring instructions for Quick-Release WC Leash:

1. Determine where you want the leash to attach to the wheelchair. Choose a location that is within reach of the user and that is structurally sound so not to damage or interfere with any part of the mobility device.
2. Attach an ordinary old leash on the dog's collar or harness.
3. Hold the leash or loosely wrap the leash around the determined attachment point on the wheelchair, at a length that is comfortable for the dog to stand, walk, and sit next to the wheelchair.
4. Be sure the leash is short enough to prevent the lead from becoming trapped in the wheels and/or motor, yet long just enough for the dog to comfortably get behind or in front of the chair to go through a doorway and common tasks.
5. Measure the old leash from the attachment point on the wheelchair to the dog's collar or harness.
6. Select the leash length that best fits your measurement. If borderline, select the larger size.

If you need a leash that has multiple lengths, consider the Wheelchair Leash for use with Hook, or custom options.

Customer Name:

Detachable Leash:

select material, color & width

Leather, \$45

☐ **Black Leather** (standard)

☐ **Tan Leather**

☐ 1/2 inch (12.7 mm) wide

☐ 5/8 inch (16 mm) wide

Brahma Soft-Grip vegan material, \$40

☐ **Black**

☐ _____ (other color)

☐ 1/2 inch* (12.7 mm) wide

☐ 3/4 inch (19.5 mm) extra wide

Leash Length: select one

☐ **Short** 20-25"

☐ **Regular** 24"-30"

☐ **Long** 30-36"

☐ **Extra Long** 36-40" (add \$5)

Chair Attachment: select one

Leather or Brahma

☐ **Standard Quick-Release buckle** (included)

☐ **Shackle Snap**, add \$15

Optional: select if desired

will be made to match leash width/color

☐ **None**

☐ **12" Traffic Lead Handle**
\$25 in leather, \$18 in Brahma

☐ **Belt Loop Attachment w/ QR**
\$16 in leather or Brahma works only with standard QR buckle chair attach

☐ **Belt Loop w/ Shackle Snap**
\$28 in leather or Brahma works with both attachment styles

☐ Additional **Standard QR chair attach**. \$18

☐ Additional **Shackle Snap attach**. \$33

BLD's Wheelchair Hook: \$40-55

This exclusive Wheelchair Hook is an **attachment that holds your dog's leash**. It's designed to work on nearly any type of wheelchair (power or manual).

The Wheelchair Hook is designed for people with quadriplegia, those with very limited hand and arm movement, or for anyone who needs a convenient, hands-free way to manage their leash with their wheelchair.

BLD's Hook is designed to be used with our **Wheelchair Leashes** (see pages 13-22), but can be used with your own leash.*

BLD's Wheelchair Hook is handmade in Colorado, using a specially fabricated hook, mounted to a stainless steel plate that is securely fastened to a sturdy nylon webbing and Velcro wrap. The inside of the attachment is lined with gripping material to keep it in place. A separate piece of grippy material is also included to add extra holding power or diameter to the tubing if needed.

The Hook itself is designed to pivot with the gravity of the leash so the leash does not come off accidentally, but can be lifted off at any time.

Easy to install with no tools required!

We've made the attachment as easy to mount to the wheelchair as we can, although some clients may need a friend to help with the initial installation.

The Wheelchair Hook Attachment wraps around a part of the wheelchair with Velcro. It can be mounted to the tubing, frame, or around an armrest of a wheelchair or mobility scooter. Velcro doubles back onto the wrap to create a strong and secure mount.

When selecting the location to attach the hook, be sure to choose a part that is structurally sound, appropriately sturdy, will not interfere with the function of the device, and within easy reach of the user. Also, be sure the chosen location will not cause damage to the wheelchair should the leash be pulled or get caught on something. If using around a wide part of the wheelchair, such as an armrest, the Extender Wrap will be required.



** If using a leash from another source, please be sure it is safe to use. See Safety Considerations on p. 2*

Continued. . .

Leash Hook Attachment (cont.)

Ideas to consider:

Using more than one scooter/wheelchair? Consider ordering a hook for each mobility device.

Some clients like a two hook arrangement. You might prefer to use one hook to connect the end of the leash and a second hook to hold the rings that shorten the leash. This prevents accidentally removing the whole leash when lengthening the leash.


Sizing:

Measure the circumference around where you want to attach the hook.

Select the orientation to match the part of the wheelchair you will attach it to (vertical or horizontal); see photo at right.

See videos and order it online here:

boldleaddesigns.com/shop/leash-hook-attachment-wheelchair



Wheelchair Leash Hook (attachment to hold leash)

\$40 for one, \$35 each for 2 or more

Fits diameter of tube/frame up to 1.5" (3.8 cm)
or circumference of up to 5 inches (12.5 cm)

- ☐ Qty. ____ HOOK Regular (vertical)
- ☐ Qty. ____ HOOK Rotated (horizontal)

Add an Extender Wrap

\$15 each

To allow Hook fit diameter up to 4" (10 cm)
or circumference of up to 10 inches (25 cm)

- ☐ Qty. ____ Extender Wrap

Hook ONLY

\$25 each, \$20 each for 6 or more

For power chairs that have integrated accessory options, BLD's specially fabricated wire hook is available separately with no attachment wrap.

The eye on the hook is approx. 1/2" in diameter, with a 1/8" opening that must be bent closed to attach. Installation is up to you.

Not available online; call or email to order.



** Whatever leash you use, please be sure it is the right length; it should be minimal and short, without excess to drag or get caught on objects or in the wheels, and must have an O-ring to drop onto the hook. Please read the **Safety Considerations** on page 2.*

Fastener-Free Collar: \$40-\$54

BLD's Fastener-Free Collar is a limited-slip collar—similar to a martingale—that can be put on and taken off the dog with **no buckles or clips**. Available in leather or Brahma, price depends on options.

Specifically designed to eliminate the need to fumble with leash clips and buckles to “leash-up” the dog, this collar simply slides over the dog’s head. The Fastener-Free Collar can be ordered separately, or built-in to a leash.

How it works: The collar slides “opens” to fit over the dog’s head, then the weight of the leash (or pressure on the leash) will cause the collar loop to “close” to fit the dog’s neck.


This collar is sized to fit the dog’s neck snugly in the “closed” position; this ensures the collar will not choke the dog, yet is snug enough to not allow the dog to back out of the collar. The neck size is adjustable with our special Conway buckle. (Initial adjustment may require a helper.)

Select the style you need: The regular **separate** collar is made with an O-ring to attach any leash. The **built-in** option is made with a swivel to prevent tangling. You may request this collar be added to any of our leash designs, including the wheelchair leashes on the following pages. The collar will add extra length to the leash (EXCEPT for custom designs).

Optional Hand-Loop is available for people who need extra space for their fingers/hands to grasp the collar to “dress” the dog.

Measure your dog’s neck/collar as you would like the collar to fit when “closed” or snug. See sizes on next page.

Only use with a leash. Not recommended for dogs that are escape artists and/or runners if they slip the collar.



F.F. Collar adds extra length to the leash



Fastener-Free Collar Order Form:

price depends on style selected

Select Material and Color: same price leather or Brahma (choose one)

- ☐ Black Leather ☐ Tan Leather
☐ Black Brahma ☐ other color Brahma _____

Select Style: (choose one)

- ☐ Separate Fastener-Free Collar, Regular (O-ring to attach leash) \$40
☐ Separate Fastener-Free Collar, with Hand-Loop (O-ring to attach leash) \$52
☐ Built-in Fastener-Free Collar, Regular (made with swivel*) \$42
☐ Built-in Fastener-Free Collar, with Hand-Loop (made with swivel*) \$54

**Leash sold separately.*

Select Size: (choose dog's neck size)

- ☐ Small 13-16" (33-41 cm); adds approx. 6-8" to leash length
☐ Medium 16-20" (41-51 cm); adds approx. 7-9" to leash length
☐ Large 20-24" (51-61 cm); adds approx. 8-10" to leash length

BLD's Wheelchair Leashes for Hook


An Introduction to Quad Leashes for use with Wheelchair Hook

BLD's exclusive Wheelchair Leashes have been developed for people that have quadriplegia, those with limited hand dexterity and/or arm movement, and anyone who simply needs a user-friendly option that is convenient to use with a wheelchair. **Designed work with our specially designed Hook Attachment** (detailed on pages 8 & 9) **these Wheelchair Leashes can have multiple positions for different tasks and activities.**

We offer three well-considered Wheelchair Leash designs to choose from or we can build a full-custom leash to meet your unique needs. Each design can be made in your choice of color and material. Any of these leashes can have a built-in Fastener-Free collar or an ordinary leash snap that can attach to the dog's collar or harness. And as always with BLD's wheelchair designs, the "dog end" of these leashes is always adjustable! This allows each leash length to be fine-tuned once you receive it. Prices vary depending on the design, features, and options needed. The next several pages will explain the features and options available.

The secret to a tangle-free leash is selecting the right place to attach the leash and the right length. Be sure to measure so you can order the right options.

See page 3 for instructions to measure for the leash and page 10 to select the right Hook Attachment options.




See videos and order it online here:

boldleaddesigns.com/shop/wheelchair-dog-leash-for-use-with-hook-attachment-quad-lead



Dog-end attachment:

- 1) Built-in Fastener-Free Collar (and swivel)
- 2) Regular Bolt Snap



Option #1: Standard Quad Wheelchair Leash

\$45 in Brahma, \$55 in Leather

This is the most common leash we've made for our clients with quadriplegia, so we've made it one of our standard options. **The Standard Quad Wheelchair Leash has two positions: long and short.** Large rings are strategically placed to connect the leash onto the Wheelchair Hook Attachment.



The leash features a regular leash handle to make it easy to use as a regular leash. The O-ring on the handle drops onto the hook to attach the leash to the wheelchair. This long position is a good length for the dog to maneuver around the wheelchair.

What makes this leash special is the big ring used to shorten the leash – to bring the dog in close next to the wheelchair. A large Double-Ring sticks out away from the leash so it's easy to target onto the hook.


The dog-end of this leash adjusts from 16-24" (40-61 cm) in length for keeping the dog at a close working position. It's adjustable so you can make it exactly the right length to prevent the leash from getting caught or tangled in the wheels while allowing the dog to move with and lay down next to the wheelchair.

Available in 2 overall lengths:

40 inch Standard Quad Wheelchair Leash (101 cm). The **handle section is 16"** (41 cm) from handle ring to the Double-Ring, with the dog end of the leash at 16-24" (40-61 cm).

48 inch Standard Quad Wheelchair Leash (122 cm). The **handle section is 24"** (61 cm) from handle ring to Double-Ring, with the dog end of the leash at 16-24" (40-61 cm).





How to use the Standard Wheelchair Leash:

- 1) Drop the handle ring onto the Wheelchair Hook to attach the leash to the wheelchair. This will be the longest position.
- 2) To shorten the leash, drop the double-ring onto the Wheelchair Hook (over the first ring).
- 3) To lengthen the leash again (to open a door, go through a doorway or retrieve an object, for example) simply lift the double-ring off the hook to lengthen the leash.
- 4) Use as an ordinary leash by taking it off the hook.

Option #2: Trainer's Wheelchair Leash \$40-45

This two-position leash is **specifically designed to be used by trainers who work with multiple client/dog teams**. The Trainer's Wheelchair Leash is similar to Option #1 in length but has a **fully-adjustable large O-ring** that can be positioned at any length along the leash for the short position when dropped onto the Wheelchair Hook Attachment.

The adjustable ring is handy when you switch it to another wheelchair that requires a different leash length for the dog to work close. This leash can also help you determine which leash length or options will work best for the client, so they can later order their own leash that fits their needs.

The leash **4 feet long** (48 in./122 cm) and has our classic Conway adjustment at the "dog end" of the leash to shorten the overall length up to 8 inches. To adjust the close position on the leash, simply slide the ring to the right position. Leash is used the same way as the Standard Wheelchair Leash.

ONLY recommended for training applications, as the ring is not fixed, and is not deigned to hold a specific position over a long period of time.

#2 Standard Trainer's Leash



Option #3: The “JJ Special” Wheelchair Leash

*****highly recommended!*****

\$65 in Brahma, \$79 in leather

Originally custom-made for a client, this leash with three adjustable positions is quickly becoming a customer favorite. **The JJ Special is designed to be compatible with most wheelchairs (manual or motorized) to allow for a short, medium, and long length.** Three adjustable sections of leash are connected with O-rings which drop onto our specially designed Wheelchair Hook. This leash ends in an O-ring—a separate Traffic Lead handle can be clipped onto the O-ring to use as a regular leash if desired.

Each section adjusts 16-24” (40–61cm) in length so you can make each section the length you need to be safe for you and your dog. In the short position, the leash will allow your dog to work close to the chair without excess slack in the leash to get caught or tangled. The medium position may be perfect to allow the dog to get behind the wheelchair to go through a doorway, or to move in front of the wheelchair to lay under a table. At full length, the leash has plenty of room for retrieving or relieving. **The overall length of leash is 4-6 feet (122-183 cm)** depending on how each section is adjusted. You’ll make a one-time adjustment to each section so that the dog can perform his work without getting the leash tangled or caught in the wheels. Assistance from a friend may be required to make the original adjustments.

giant O-ring at end



each section adjusts from 16-24"

**dog end
shown with
bolt snap**

How to use the JJ Special:

- 1) First, drop the giant O-ring at the handler end of the leash onto the Wheelchair Hook, this creates the long position.
- 2) Next, drop the giant O-ring in the middle of the leash onto the Wheelchair Hook to use the medium leash position.
- 3) For the short position, drop the third giant O-ring onto the hook. The leash is now looped up onto the hook to prevent the excess leash from dragging or snagging on objects or wheels.
- 4) To return to a longer length, simply lift one or two rings off the hook.
- 5) If desired, clip on a separate traffic lead handle to use as a regular leash.



BLD's Wheelchair Leashes for Hook Order Form

Quad leashes for our Hook Attachment (R5 8/2020 KB)

<p>Customer Name:</p>	<p>Dog-end attachment:</p> <p><input type="radio"/> Regular bolt snap</p> <p><input type="radio"/> Another type of leash clip Indicate hardware : _____ (see page 23; may have additional cost)</p> <p><input type="radio"/> Built-in Fastener-Free Collar, Regular \$42</p> <p><input type="radio"/> Built-in Fastener-Free Collar with Hand-Loop \$54</p> <p>Dog's neck size:</p> <p><input type="radio"/> Small 13-16" (33-41 cm)</p> <p><input type="radio"/> Medium 16-20" (41-51 cm)</p> <p><input type="radio"/> Large 20-24" (51-61 cm)</p>
<p>Material, color, width:</p> <p>Leather</p> <p><input type="radio"/> Black Leather <input type="radio"/> Tan Leather</p> <p> <input type="radio"/> 1/2 inch (12.7 mm) wide</p> <p> <input type="radio"/> 5/8 inch (16 mm) wide</p> <p>Brahma Soft-Grip vegan material</p> <p><input type="radio"/> Black Brahma <input type="radio"/> Other Color: _____</p> <p> <input type="radio"/> 1/2 inch (12.7 mm) wide</p> <p> <input type="radio"/> 3/4 inch (19.5 mm) extra wide</p> <p>All come standard with silver hardware (stainless steel/nickel).</p>	
<p>Wheelchair Leash Design: (choose one)</p> <p> # 1 Standard Quad Wheelchair Leash \$45 in Brahma \$55 in leather</p> <p><input type="radio"/> Standard 40" <input type="radio"/> Standard 48"</p> <p><input type="radio"/> #2 Trainer's Wheelchair Leash \$40 in Brahma \$45 in leather</p> <p><input type="radio"/> #3 "JJ Special" Wheelchair Leash \$60 in Brahma \$79 in leather</p> <p><input type="radio"/> Add a matching 12" Traffic Lead Handle \$18 in Brahma \$25 in leather</p>	<p style="text-align: center;">To Order:</p> <p>You may call the workshop to order by phone, or order online at boldleaddesigns.com/shop/wheelchair-dog-leash-for-use-with-hook-attachment-quad-lead</p> <p style="text-align: center;"><i>One Leash Per Order Form</i></p> <p>Modifications may be available. A quote will be given if any changes are requested, alternatively consider the Full-Custom Wheelchair Leash.</p>
<p><u>Standard Leash Hook Attachment</u></p> <p>\$40 for one, \$35 each for 2 or more</p> <p>Fits diameter of tube/frame up to 1.5" (3.8 cm) or circumference of up to 5 inches (12.5 cm)</p> <p><input type="radio"/> Qty. _____ HOOK Regular (vertical)</p> <p><input type="radio"/> Qty. _____ HOOK Rotated (horizontal)</p> <p><u>Add an Extender Wrap</u></p> <p>\$15 each</p> <p>To allow Hook fit diameter up to 4" (10 cm) or circumference of up to 10 inches (25 cm)</p> <p><input type="radio"/> Qty. _____ Extender Wrap</p>	<p>Notes:</p>

Option #4: Full-Custom Wheelchair Leash Design (Custom Quad Lead)

\$45-\$100 for leash depending on options selected

Let's work together to design the perfect leash for you. It can have any of the features seen in the previous leashes, including an integrated Fastener-Free Collar, multiple positions and/or length adjustments. With a custom design, you can indicate specific measurements and other details to meet your individual needs. Tell us what you need and we'll make something that will function well for you and your dog. See the photos for a few examples of leashes we've made for our clients; each Custom Wheelchair Leash is unique!

Please see the Full-Custom order form on p. 22 for pricing and all options that must be selected for this one-of-a-kind leash. This information below will walk through each of the 6 choices for this leash.



Feel free to call 303-856-3012 to discuss and order by phone! We are happy to offer suggestions that meet your needs. Reviewing the details and measuring before you call will help us understand what you need. Please remember we can't make your leash until we know what you'd like!



For a Full-Custom leash, you will choose:

1. The material (leather or Brahma), color and the width for the leash.
2. The Wheelchair Hook Attachment (see pages 9-10).
3. The leash length measurements & positions; order your leash with one, two, or three positions. Indicate the desired lengths for each position.
4. The dog end attachment; how the leash connects to your dog (with a leash snap, or a Fastener-Free Collar).
5. The handler end style; choose the ring or a handle at the end of the human end of the leash. This is the part that connects the leash to the Wheelchair Hook.
6. The ring style for attaching the leash to the Wheelchair Hook at the various positions.

Continued. . .

Points to consider for your Full-Custom Design:

The following information will walk you through the options and considerations to create the perfect leash for your individual needs.

- Every person's wheelchair and dog is unique. The key to making this leash work safely is making each length specific to the tasks the dog will perform. We ask that you measure for each task, from the dog to the attachment location. When measuring, have the leash loose but avoid excess length that could get tangled in the wheels or caught on objects as the dog is working or the wheelchair is moving.
- This leash is always made with adjustment in the first section of the leash (plus or minus 5 to 10 inches, depending on the length of the shortest position).
- You may request multiple adjustment sections, as seen in Leash #3 the JJ Special, or indicate any other special considerations. Simply notate your requests on the order form.
- **We may make suggestions and/or recommend design changes based on our experience to ensure functionality and compatibility.**
- The cost will be determined by the options selected. See the Full-Custom **Order Form** on page 23 for a checklist of options and price breakdowns. Special requests may be available by quote.
- Rest assured the BLD team will carefully review your custom order requests to assure we understand your needs and that the components are compatible.
- If needed we can sketch out the design changes to show you what the leash will look like. **Design drawings can be shared with you via email.** This way you can approve the design before we craft your new leash. Remember, we cannot start making your leash until we have all the details and your approval on any changes.

Suggested lengths to measure for a Full-Custom Design:

Also refer to the complete Measuring Instructions on page 3.

Measurement #1: Short position/working next to the chair. You want the leash nice and short, so there's no excess leash to get tangled on anything. This is a required measurement.

Measurement #2: The second position is good for going through a doorway, or other tasks that need a bit more room for the dog to maneuver. As you pass through a doorway, give the dog just enough room to comfortably get through the door, behind or ahead of the wheelchair safely. *For a two-position leash, this will also be the overall length.*

Measurement #3: Optional measurement. If you need a longer length for relieving, retrieving, etc. measure the overall length from the dog to the wheelchair attachment point. But be aware that when a longer leash is slack, it can get caught in the wheels as the wheelchair moves and/or turns. *From experience, we recommend 5 feet or shorter.* If it's too long, there will be too much excess leash, risking tangling.

Anything else? Let us know if there's another specific measurement or feature that is important for you.

Additional design features and modifications may be available at an additional cost, including lengths over 6 feet, and other custom requests such as additional segments, removable sections, modular parts, or alternate hardware. We will provide a quote for any extra features.


Adjustment Ring Styles:

These rings are how the leash attaches to the Wheelchair Hook at the chosen positions. Select the desired style. (Not applicable for single-length leashes.)

Leather (1/2" shown) fastened with braids



Brahma (1/2" shown) fastened with screw posts



- **A) Double Ring:** this ring sticks out perpendicular to the leash. Ring has a 1 ¼" target area to drop onto the hook. As shown on Wheelchair Leash #1.
- **B) Giant Ring Splice:** this ring connects two sections of leather. Ring has a 1 ¼" target area to drop onto the hook. Leash easily folds at the ring joint, as shown on Wheelchair Leash #3, the JJ Special.
- **C) Large Fixed O-Ring:** low-profile option is made with an O-ring a little larger than the leash width and fixed to the leash at the desired distance. (Half inch wide leashes will have a 7/8" ring. Larger width leashes will have a 1 ¼" ring.)

Dog-end attachment style:

This leash can be made with a regular leash snap to connect to your dog's collar or harness, or choose the Fastener-Free Collar, see pages 11-12 for details.



Handler End Style:

Choose the style of ring at the human end of the leash (shown on ½" Brahma).



- ☐ **A) Double Ring:** Leash ends with a 1 ¼" ring, perpendicular to the leash strap
—compatible *ONLY* with adjustment ring A
- ☐ **B) Large O-Ring:** Leash ends with a large 7/8" O-ring to drop onto the hook
— low-profile option
- ☐ **C) Conway with giant O-ring:** Leash ends with a Conway buckle and a giant 1 ¼" O-ring
— creates a loop and allows for about 6" of adjustment
- ☐ **D) Regular loop handle:** Leash ends with an ordinary leash handle
—includes a loose 7/8" O-ring to drop onto the hook
- ☐ **Optional Traffic Lead Handle:**
\$18 in Brahma, \$25 in leather

Add a separate 12" Traffic Lead handle clips onto the end ring. This allows the wheelchair leash to be used as an ordinary leash when removed from the wheelchair hook. Handle will be made to match the leash width and color, and is assembled with screw posts.



Note: leather leashes are assembled with braids and Brahma is made with screw posts.

Questions? Contact us. We'll make suggestions based on our experience if you need guidance

Full-Custom Wheelchair Leash Design

Custom Quad Lead for use with our Hook (R5 8/2020 KB)

<p>Customer Name:</p>	<p>Leash Length Measurements & Positions: (from dog to wheelchair attachment)</p> <p>1 _____ (short)* 2 _____ 3 _____</p> <p>Other: _____</p> <table style="width: 100%; border: none;"> <tr> <td><input type="radio"/> One length</td> <td>\$45 Brahma</td> <td>\$50 Leather</td> </tr> <tr> <td><input type="radio"/> Two</td> <td>\$60 Brahma</td> <td>\$65 Leather</td> </tr> <tr> <td><input type="radio"/> Three</td> <td>\$75 Brahma</td> <td>\$80 Leather</td> </tr> </table> <p><small>*First position (dog-end) is always adjustable with a Conway. Custom leash lengths include the fastener-free collar.</small></p>	<input type="radio"/> One length	\$45 Brahma	\$50 Leather	<input type="radio"/> Two	\$60 Brahma	\$65 Leather	<input type="radio"/> Three	\$75 Brahma	\$80 Leather
<input type="radio"/> One length	\$45 Brahma	\$50 Leather								
<input type="radio"/> Two	\$60 Brahma	\$65 Leather								
<input type="radio"/> Three	\$75 Brahma	\$80 Leather								
<p>Select material, color, and width:</p> <p>Leather</p> <p><input type="radio"/> Black Leather <input type="radio"/> Tan Leather</p> <p> <input type="radio"/> 1/2 inch (12.7 mm) wide</p> <p> <input type="radio"/> 5/8 inch (16 mm) wide</p> <p>Brahma Soft-Grip vegan material</p> <p><input type="radio"/> Black <input type="radio"/> Other Color: _____</p> <p> <input type="radio"/> 1/2 inch (12.7 mm) wide</p> <p> <input type="radio"/> 3/4 inch (19.5 mm) extra wide</p> <p><small>All are made with stainless steel/ silver hardware.</small></p>	<p>Adjustment Ring Style for 2 & 3 position leashes:</p> <p><input type="radio"/> A) Double Ring</p> <p><input type="radio"/> B) Giant Ring Splice (1 1/4")</p> <p><input type="radio"/> C) Large Fixed O-Ring (7/8 for M, or 1 1/4" for L/XL)</p>									
<p>Standard Leash Hook Attachment</p> <p>\$40 for one, \$35 each for 2 or more</p> <p>Fits diameter of tube/frame up to 1.5" (3.8 cm) or circumference of up to 5 inches (12.5 cm)</p> <p><input type="radio"/> Qty. _____ HOOK Regular (vertical)</p> <p><input type="radio"/> Qty. _____ HOOK Rotated (horizontal)</p> <p>Add an Extender Wrap</p> <p>\$15 each</p> <p>To allow Hook fit diameter up to 4" (10 cm) or circumference of up to 10 inches (25 cm)</p> <p><input type="radio"/> Qty. _____ Extender Wrap</p>	<p>Dog-end attachment:</p> <p><input type="radio"/> Regular bolt snap</p> <p><input type="radio"/> Another type of leash clip</p> <p style="margin-left: 20px;">Indicate hardware #: _____</p> <p style="margin-left: 20px;">(see page 22; may have additional cost)</p> <p><input type="radio"/> Built-in Fastener-Free Collar, Regular \$42</p> <p><input type="radio"/> Built-in Fastener-Free Collar with Hand-Loop \$54</p> <p style="margin-left: 20px;">Dog's neck size:</p> <p> <input type="radio"/> Small 13-16" (33-41 cm)</p> <p> <input type="radio"/> Medium 16-20" (41-51 cm)</p> <p> <input type="radio"/> Large 20-24" (51-61 cm)</p>									
<p><i>One Leash Per Order Form (if not identical)</i></p> <p><input type="radio"/> Drawing Attached</p>	<p>Handler End Style:</p> <p><input type="radio"/> A) Double Ring (requires ring style A)</p> <p><input type="radio"/> B) Large O-Ring (7/8")</p> <p><input type="radio"/> C) Conway Adj. w/ Giant O-Ring (1 1/4")</p> <p><input type="radio"/> D) Regular Loop Handle w/ loose O-Ring (7/8")</p> <p><input type="radio"/> Add a 12" Traffic Lead Handle (separate)</p> <p style="margin-left: 20px;">\$18 in Brahma \$25 in leather</p>									
<p style="text-align: center;">To Order:</p> <p>You may call the workshop to order by phone, or order online at</p> <p style="text-align: center;">boldleaddesigns.com/shop/custom-wheelchair-quad-leash</p>										

Leash Snap Hardware Styles:

BLD's standard



Bolt Snap

Standard Bolt Snap, no charge

Scissor/Trigger Snap, \$5

Spring Snap, \$5

Locking Carabiner Snap, \$8 (brass only)

Shackle Snap, \$16 (silver only)



Scissor/Trigger Snap




Spring Snap

Shackle Snap
Stainless Steel
Panic Snap



**Solid Brass Locking
Carabiner Snap**



Wheelchair Leashes

Call


303-856-3012

Email

orders@boldleaddesigns.com

Website

BoldLeadDesigns.com



Bold Lead Designs, LLC
350 Norfolk Street
Aurora, CO 80011
USA